

# SAFETY DATA SHEET

Pomegranate Passion Peel Off masque

## 1. Identification of the substance/preparation and company/undertaking

### Identification of the substance or preparation

Product name : Pomegranate Passion Peel Off masque **0 83800 02426 1**  
 Code : MJ377  
 Product type : Liquid.  
 Use of the substance/preparation : Cosmetic Product Face Mask  
 Date of issue/Date of revision : 21/02/2008.

### Company/undertaking identification

Manufacturer : Montagne Jeunesse International Limited  
 The Old Grain Store  
 4 Denne Road, Horsham  
 West Sussex RH12 1JE  
 e-mail address of person responsible for this SDS : reception@montagnejeunesse.co.uk  
 Emergency telephone number (with hours of operation) : +44 (0)1639 861550  
 Relevant Authorities :

In the United States, distributed by  
 Neoteric Cosmetics, Inc.  
 Colorado Product Concepts, Inc.  
 303.373.4860

## 2. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See section 11 for more detailed information on health effects and symptoms.

## 3. Composition/information on ingredients

Substance/preparation : Preparation

Ingredient name	CAS number	%	EC number	Classification
ethanol	64-17-5	1 - 5	200-578-6	F; R11 [2]
glycols, 1,2-, c12-16, ethoxylated propoxylated	154248-98-3	1 - 5		Xi; R36/38 [1] N; R51/53
See section 16 for the full text of the R-phrases declared above				

There are no ingredients or additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

## 4. First-aid measures

### First-aid measures

#### Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Obtain medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## 4. First-aid measures

- Ingestion** : Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Obtain medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Obtain medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon oxides  
nitrogen oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### Packaging materials

- Recommended** : Use original container.

## 8. Exposure controls/personal protection

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
ethanol	EH40-WEL (United Kingdom (UK), 9/2006). WEL 8 hrs limit: 1920 mg/m <sup>3</sup> 8 hour(s). WEL 8 hrs limit: 1000 ppm 8 hour(s).

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

### Exposure controls

- Occupational exposure controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eye protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
- Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

### General information

#### Appearance

- Physical state : Liquid. [Viscous liquid.]  
Colour : Pink [Dark]  
Odour : raspberry-like [Slight]

### Important health, safety and environmental information

- pH : 4.5 to 5.8  
Viscosity : Dynamic: 9000 to 16000 mPa·s (9000 to 16000 cP)

## 10. Stability and reactivity

- Stability : The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.  
Conditions to avoid : No specific data.  
Materials to avoid : No specific data.  
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Potential acute health effects

- Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.  
Ingestion : No known significant effects or critical hazards.  
Skin contact : No known significant effects or critical hazards.  
Eye contact : No known significant effects or critical hazards.

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
ethanol	LD50 Intra-arterial	Rat	11 mg/kg	-
	LD50 Intraperitoneal	Rat	3600 ug/kg	-
	LD50 Intravenous	Rat	1440 mg/kg	-
	LD50 Oral	Rat	7060 mg/kg	-
	LD50 Oral	Rat	7 g/kg	-
	LDLo Dermal	Rabbit	20 g/kg	-
	TDLo Intraperitoneal	Rat	1.25 mg/kg	-
	TDLo Intraperitoneal	Rat	1000 mg/kg	-
	TDLo Intraperitoneal	Rat	1000 mg/kg	-
	TDLo Intraperitoneal	Rat	363.6 ug/kg	-
	TDLo Intracerebral	Rat	500 mg/kg	-
	TDLo Intraperitoneal	Rat - Male	0.5 g/kg	-
	TDLo Intravenous	Rat	0.5 g/kg	-
	TDLo Intraperitoneal	Rat	0.5 g/kg	-
	TDLo Oral	Rat	5.25 g/kg	-
	TDLo Oral	Rat	10 mL/kg	-
	TDLo Oral	Rat	6.67 mL/kg	-
	TDLo Oral	Rat	5 mL/kg	-
	TDLo Oral	Rat	2.45 g/kg	-
	TDLo Oral	Rat	6000 mg/kg	-
	TDLo Oral	Rat	6000 mg/kg	-
	TDLo Oral	Rat	2 g/kg	-
	TDLo Intraperitoneal	Rat	0.25 g/kg	-

## 11. Toxicological information

Intraperitoneal				
TDLo Oral	Rat - Male	5250 mg/kg	-	
TDLo Oral	Rat	5000 mg/kg	-	
TDLo Oral	Rat	5000 mg/kg	-	
TDLo Oral	Rat	5000 mg/kg	-	
TDLo Oral	Rat	4800 mg/kg	-	
TDLo Oral	Rat	3 g/kg	-	
TDLo Oral	Rat	3 g/kg	-	
TDLo Oral	Rat	0.5 g/kg	-	
TDLo Oral	Rat	5 g/kg	-	
TDLo Oral	Rat	2.5 g/kg	-	
TDLo Oral	Rat - Female	5 g/kg	-	
TDLo Oral	Rat	6 g/kg	-	
TDLo Oral	Rat	1600 mg/kg	-	
TDLo Oral	Rat	0.72 g/kg	-	
TDLo Oral	Rat	1500 mg/kg	-	
TDLo Oral	Rat	1500 mg/kg	-	
TDLo	Rat	1.5 g/kg	-	
Intraperitoneal				
TDLo Oral	Rat	8000 mg/kg	-	
TDLo Oral	Rat	6.4 g/kg	-	
TDLo	Rat	1 g/kg	-	
Intraperitoneal				
TDLo	Rat	3500 mg/kg	-	
Intraperitoneal				
TDLo	Rat	106 ug/kg	-	
Intracerebral				
TDLo	Rat - Male	2.4 mg/kg	-	
Intraperitoneal				
TDLo	Rat - Male	3000 mg/kg	-	
Intraperitoneal				
TDLo	Rat	3000 mg/kg	-	
Intraperitoneal				
TDLo	Rat	2700 mg/kg	-	
Intraperitoneal				
TDLo Unreported	Rat	3 g/kg	-	

**Conclusion/Summary** : Not available.

### Potential chronic health effects

#### Chronic toxicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

**Conclusion/Summary** : Not available.

**Chronic effects** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

**Inhalation** : No specific data.

**Ingestion** : No specific data.

**Skin** : No specific data.

**Eyes** : No specific data.

## 11. Toxicological information

**Target organs** : Contains material which causes damage to the following organs: blood, the reproductive system, liver, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

## 12. Ecological information

**Environmental effects** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
ethanol	-	Acute EC50 9.3 to 11.2 g/L Fresh water	Daphnia - Daphnia magna	48 hours
	-	Acute EC50 10600 to 11200 mg/L Fresh water	Daphnia - Daphnia obtusa	48 hours
	-	Acute EC50 >100 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	-	Acute EC50 2000 ug/L Fresh water	Daphnia - Daphnia magna	48 hours
	-	Acute LC50 13 to 16 ml/L Fresh water	Fish - Oncorhynchus mykiss	96 hours
	-	Acute LC50 5577000 to 6557000 ug/L Fresh water	Daphnia - Ceriodaphnia dubia	48 hours
	-	Acute LC50 3715000 to 4432000 ug/L Fresh water	Daphnia - Ceriodaphnia dubia	48 hours
	-	Acute LC50 >100000 ug/L Fresh water	Fish - Pimephales promelas	96 hours
	-	Acute LC50 42000 ug/L Fresh water	Fish - Oncorhynchus mykiss	4 days
	-	Acute LC50 11000000 ug/L Marine water	Fish - Alburnus alburnus	96 hours
	-	Acute LC50 10000000 to 11500000 ug/L Marine water	Fish - Alburnus alburnus	96 hours
	-	Acute LC50 5680 to 7392 mg/L Fresh water	Daphnia - Daphnia magna	48 hours
	-	Acute LC50 6076000 to 7115000 ug/L Fresh water	Daphnia - Ceriodaphnia dubia	48 hours
	-	Acute LC50 6325000 to 7413000 ug/L Fresh water	Daphnia - Ceriodaphnia dubia	48 hours
	-	Acute LC50 14200000 to 15100000 ug/L Fresh water	Fish - Pimephales promelas	96 hours
	-	Acute LC50 13480000 ug/L Fresh water	Fish - Pimephales promelas	96 hours
	-	Chronic NOEC <6.3 g/L Fresh water	Daphnia - Daphnia magna	48 hours

**Conclusion/Summary** : Not available.

### Biodegradability

**Date of issue/Date of revision** : 21/02/2008.

## 12. Ecological information

- Conclusion/Summary** : Not available.  
**Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
- Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

## 14. Transport information

### International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not available.	Not available.	Not available.	-		-
ADNR Class	Not available.	Not available.	Not available.	-		-
IMDG Class	Not available.	Not available.	Not available.	-		-
IATA Class	Not available.	Not available.	Not available.	-		-

PG\* : Packing group

## 15. Regulatory information

### EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

- Risk phrases** : This product is not classified according to EU legislation.  
**Product use** : Consumer applications.  
**Europe inventory** : Europe inventory: Not determined.

### Other EU regulations

**Additional warning phrases** : Safety data sheet available for professional user on request.

## 16. Other information

**Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK)** : R11- Highly flammable.  
R36/38- Irritating to eyes and skin.  
R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK)** : F - Highly flammable  
Xi - Irritant  
N - Dangerous for the environment

### History

- Date of printing** : 21/02/2008.  
**Date of issue/Date of revision** : 21/02/2008.  
**Date of previous issue** : No previous validation.  
**Version** : 1  
**Prepared by** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

**Date of issue/Date of revision** : 21/02/2008.

7/8

## 16. Other information

*To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*